

# RIVETTI STRUTTURALI *STRUCTURAL RIVETS*

- Trebulb Plus
- Tudibulb
- Tudinox
- Cup-Lock
- Cup-Bolt
- H-Lock
- B-Rivet
- Twin-Lock
- Floorply
- Superbulb



**REMACHES** **FACTORY**

# B2B eCommerce

Remaches Factory, attraverso la propria piattaforma eCommerce, offre un servizio attivo h24 che permette di:

- verificare la disponibilità dei prodotti
- effettuare ordini di acquisto
- monitorare lo stato dei propri ordini
- consultare i propri documenti
- inviare richieste

Remaches Factory, through its eCommerce platform, offers a 24-hour service that allows you to:

- check product availability
- send orders
- check the status of your orders
- consult your documents
- send requests

[www.remachesfactory.com](http://www.remachesfactory.com)

**REMACHES** **FACTORY**




# TREBULB PLUS



ALLUMINIO/ALLUMINIO TESTA TONDA  
ALUMINIUM/ALUMINIUM DOME HEAD


**BR075**



Ø	L	GRIP RANGE	CODICE / CODE
4,0	20,3	1,5 - 6,4	BR07540203
	25,1	6,4 - 12,7	BR07540251
5,2	17,5	1,2 - 4,8	BR07552175
	19,1	1,5 - 6,4	BR07552191
	22,2	4,7 - 9,5	BR07552222
	25,4	7,9 - 12,7	BR07552254
	28,6	11,1 - 15,9	BR07552286
	31,8	14,3 - 19,1	BR07552318
6,3	20,2	1,6 - 6,4	BR07563202
	23,4	3,2 - 9,5	BR07563234
	26,5	6,4 - 12,7	BR07563265
	29,7	9,5 - 15,9	BR07563297
7,7	27,7	1,0 - 9,5	BR07577277
	37,7	9,5 - 19	BR07577377

ALLUMINIO/ALLUMINIO TESTA SVASATA  
ALU/ALU COUNTERSUNK HEAD

**BR074**




Ø	L	GRIP RANGE	CODICE / CODE
5,2	19,6	2,7 - 6,4	BR07452195
	22,7	4,7 - 9,5	BR07452227
	25,9	7,9 - 12,7	BR07452259
	29,1	11,1 - 15,9	BR07452291
6,3	32,3	14,3 - 19,1	BR07452323
	20,7	3,8 - 6,4	BR07463207
	23,9	4,7 - 9,5	BR07463239
	27,1	6,4 - 12,7	BR07463271



ACCIAIO/ACCIAIO TESTA TONDA  
STEEL/STEEL DOME HEAD


**BR077**



Ø	L	GRIP RANGE	CODICE / CODE
5,2	19,1	1,6 - 6,3	BR07752191
	22,3	4,8 - 9,5	BR07752223
	25,4	7,9 - 12,7	BR07752254
	28,6	11,1 - 15,8	BR07752286
	31,8	14,3 - 19,0	BR07752318
6,3	20,7	1,0 - 6,4	BR07763207
	23,9	3,2 - 9,5	BR07763239
	27,1	6,4 - 12,7	BR07763271
	30,2	9,5 - 15,9	BR07763302

ACCIAIO/ACCIAIO TESTA SVASATA  
STEEL/STEEL COUNTERSUNK HEAD


**BR078**



Ø	L	GRIP RANGE	CODICE / CODE
6,3	23,2	3,8 - 6,4	BR07863232
	29,6	6,4 - 12,7	BR07863296

MONEL/INOX TESTA TONDA  
MONEL/ST.STEEL DOME HEAD

**BR079**



Ø	L	GRIP RANGE	CODICE / CODE
6,3	20,7	1,0 - 6,4	BR07963207
	23,9	3,2 - 9,5	BR07963239

RIVETTATRICE per l'installazione  
recommended **RIVETING TOOL**

**IERO T.0 a Batteria**

Ø 5,2 mm - 7,8 mm  
Corsa 25mm  
Forza 12000N  
Peso 2,15kgs

**IERO T.0 Battery powered**

Ø 5,2 mm - 7,8 mm  
Stroke 25mm  
traction Power 12000N  
Weight 2,15kgs






# TUDIBULB - TUDINOX

## TUDIBULB

ACCIAIO/ACCIAIO TESTA TONDA  
STEEL/STEEL DOME HEAD

**BR047**


Ø	L	GRIP RANGE	CODICE / CODE
3,2	8,7	1,0 - 3,0	BR0473287
	11,3	3,0 - 5,0	BR04732113
	13,6	5,0 - 7,0	BR04732136
4,0	10,1	1,0 - 3,0	BR04740101
	12,1	3,0 - 5,0	BR04740121
	15,1	5,0 - 7,0	BR04740151
	17,0	7,0 - 9,0	BR04740170
4,8	12,1	1,0 - 3,0	BR04748121
	14,6	3,0 - 5,0	BR04748146
	17,6	5,0 - 7,0	BR04748176
6,0	14,2	1,0 - 3,0	BR04760142
	17,2	3,0 - 5,0	BR04760172
	20,2	5,0 - 7,0	BR04760202
	23,2	7,0 - 9,0	BR04760232


## TUDIBULB EXTRA

Ø	L	GRIP RANGE	CODICE / CODE
6,4	17,3	1,5 - 5,5	BR04764173
	21,3	5,0 - 9,0	BR04764213



## TUDINOX

INOX A2/INOX A2 TESTA TONDA  
STAINLESS STEEL A2/A2 DOME HEAD

**BR046**


Ø	L	GRIP RANGE	CODICE / CODE
3,2	8,9	1,0-3,0	BR0463289
	11,4	3,0-5,0	BR04632114
	13,6	5,0-7,0	BR04632136
4,0	10,1	1,0-3,0	BR04640101
	12,5	3,0-5,0	BR04640125
	15,1	5,0-7,0	BR04640151
4,8	12,9	1,5-3,5	BR04648129
	15,5	3,5-6,0	BR04648155
	18,5	6,0-8,5	BR04648185

## TUDINOX EXTRA

Ø	L	GRIP RANGE	CODICE / CODE
6,4	16,8	1,5 - 5,5	BR04664168
	20,8	5,0 - 9,0	BR04664208



RIVETTATRICI per l'installazione  
recommended **RIVETING TOOL**



### IERO 5.0 a Batteria

Ø 2,4 mm – 5,0 mm  
Corsa 21mm  
Forza 12000N  
Peso 2,15kgs

### IERO 5.0 Battery powered

Ø 2,4 mm – 5,0 mm  
Stroke 21mm  
traction Power 12000N  
Weight 2,15kgs



### IERO 6.0 a Batteria

Ø 4,8 mm – 6,4 mm  
Corsa 25mm  
Forza 20000N  
Peso 2,15kgs

### IERO 6.0 Battery powered


Ø 4,8 mm – 6,4 mm  
Stroke 25mm  
traction Power 20000N  
Weight 2,15kgs

# CUP-LOCK



ACCIAIO/ACCIAIO TESTA TONDA  
STEEL/STEEL DOME HEAD

**BR050**




∅	L	GRIP RANGE	CODICE / CODE
4,8	10,0	1,6-6,9	BR0504810
	14,0	1,6-11,0	BR0504814
6,4	14,0	2,0-9,5	BR0506414
	20,0	2,0-15,9	BR0506420
	26,0	14,7 - 22,2	BR0506426
	33,0	21,1 - 28,6	BR0506433
	39,0	27,4 - 35	BR0506439
9,8	21,0	3,0 - 15,9	BR0509821



ACCIAIO/ACCIAIO TESTA SVASATA  
STEEL/STEEL COUNTERSUNK HEAD


**BR051**



∅	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR0514813
	17,0	7,7-12,7	BR0514817
6,4	17,0	4,1-12,1	BR0516417
	23,5	10,5-18,4	BR05164235
9,8	25,0	6,1 - 19,1	BR0519825

INOX A2/INOX A2 TESTA TONDA  
STAINLESS STEEL A2/A2 DOME HEAD

**BR072**




∅	L	GRIP RANGE	CODICE / CODE
4,8	10,5	1,6-6,9	BR07248105
	14,5	1,6-11,0	BR07248145
6,4	14,5	2,0-9,5	BR07264145
	20,5	2,0-15,9	BR07264205
9,8	21,0	3,0 - 15,9	BR0729821



INOX A2/INOX A2 TESTA SVASATA  
STAINL.STEEL A2/A2 COUNTERS. HEAD


**BR073**



∅	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR0734813
	17,0	7,7-12,7	BR0734817
6,4	17,0	4,1-12,1	BR0736417
	23,5	10,5-18,4	BR07364235

ALLUMINIO/ALLUMINIO TESTA TONDA  
ALUMINIUM/ALUMINIUM DOME HEAD

**BR052**




∅	L	GRIP RANGE	CODICE / CODE
4,8	10,0	1,6-6,9	BR0524810
	14,0	1,6-11,0	BR0524814
6,4	14,0	2,0-9,5	BR0526414
	20,0	2,0-15,9	BR0526420
9,8	21,0	3,0-15,9	BR0529821



ALLUMINIO/ALLUMINIO TESTA SVASATA  
ALU/ALU COUNTERSUNK HEAD

**BR053**




∅	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR0534813
	17,0	7,7-12,7	BR0534817
6,4	17,0	4,1-12,1	BR0536417
	23,5	10,5-18,4	BR05364235



# CUP-BOLT

ACCIAIO/ACCIAIO TESTA TONDA  
STEEL/STEEL DOME HEAD

**BR210**




Ø	L	GRIP RANGE	CODICE / CODE
4,8	10,0	1,6-6,9	BR21048100
	14,0	1,6-11,0	BR21048140
6,4	14,0	2,0-9,5	BR21064140
	20,0	2,0-15,9	BR21064200
9,8	21,0	3,0-15,9	BR21098210



ACCIAIO/ACCIAIO TESTA SVASATA  
STEEL/STEEL COUNTERSUNK HEAD


**BR213**



Ø	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR2134813
	17,0	7,7-12,7	BR2134817
6,4	17,0	4,1-12,1	BR2136417
	23,5	10,5-18,4	BR21364235

INOX A2/INOX A2 TESTA TONDA  
STAINLESS STEEL A2/A2 DOME HEAD

**BR211**




Ø	L	GRIP RANGE	CODICE / CODE
4,8	10,5	1,6-6,9	BR2114810
	14,5	1,6-11,0	BR2114814
6,4	14,5	2,0-9,5	BR2116414
	20,5	2,0-15,9	BR2116420
9,8	22,0	3,0-15,9	BR2119822



INOX A2/INOX A2 TESTA SVASATA  
STAINL. STEEL A2/A2 COUNTERSUNK HEAD


**BR214**



Ø	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR2144813
	17,0	7,7-12,7	BR2144817
6,4	17,0	4,1-12,1	BR2146417
	23,5	10,5-18,4	BR21464235

ALLUMINIO/ALLUMINIO TESTA TONDA  
ALUMINIUM/ALUMINIUM DOME HEAD


**BR212**



Ø	L	GRIP RANGE	CODICE / CODE
4,8	10,0	1,6-6,9	BR2124810
	14,0	1,6-11,0	BR2124814
6,4	14,0	2,0-9,5	BR2126414
	20,0	2,0-15,9	BR2126420
9,8	21,0	3,0-15,9	BR2129821

ALLUMINIO/ALLUMINIO TESTA SVASATA  
ALUMINIUM/ALUMINIUM COUNTERSUNK HEAD

**BR215**



Ø	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR2154813
	17,0	7,7-12,7	BR2154817
6,4	17,0	4,1-12,1	BR2156417
	23,5	10,5-18,4	BR21564235

NASELLO SPECIALE richiesto per l'installazione  
SPECIAL NOSEPIECE required for installation




# H-LOCK



ACCIAIO/ACCIAIO TESTA TONDA  
STEEL/STEEL DOME HEAD


**BR055**



Ø	L	GRIP RANGE	CODICE / CODE
4,8	9,0	1,5-3,5	BR0554890
	11,5	3,5-6,0	BR05548115
	14,0	6,0-8,5	BR0554814
	16,5	8,5-11,0	BR05548165
	19,0	11,0-13,5	BR0554819
6,4	9,0	1,5-3,5	BR05564090
	10,5	2,8-4,8	BR05564105
	12,5	4,8-6,8	BR05564125
	14,5	6,8-8,8	BR05564145
	16,5	8,8-10,8	BR05564165
	18,5	10,8-12,8	BR05564185
	20,5	12,8-14,8	BR05564205
	22,5	14,8-16,8	BR05564225
	24,5	16,8-18,8	BR05564245
	26,5	18,8-20,8	BR05564265
	28,5	20,8-22,8	BR05564285
	30,5	22,8-24,8	BR05564305
7,8	13,0	4,0-7,0	BR05578130
	16,0	7,0-10,0	BR05578160
	19,0	10,0-13,0	BR05578190
	22,0	13,0-16,0	BR05578220
	25,0	16,0-19,0	BR05578250
	28,0	19,0-22,0	BR05578280
31,0	22,0-25,0	BR05578310	

ACCIAIO/ACCIAIO TESTA SVASATA  
STEEL/STEEL COUNTERSUNK HEAD

**BR061**



Ø	L	GRIP RANGE	CODICE / CODE
4,8	11,5	3,5-6	BR06148115
	14,0	6,0-8,5	BR06148140
	16,5	8,5-11,0	BR06148165
	19,0	11,0-13,5	BR06148190
6,4	11,5	3,8-5,8	BR06164115
	13,5	5,8-7,8	BR06164135
	15,5	7,8-9,8	BR06164155
	17,5	9,8-11,8	BR06164175
	19,5	11,8-13,8	BR06164195
	21,5	13,8-15,8	BR06164215
	23,5	15,8-17,8	BR06164235



RIVETTATRICI per l'installazione  
*recommended RIVETING TOOLS*



**IERO 6.0 a Batteria**

Ø 4,8 mm – 6,4 mm  
Corsa 25mm  
Forza 20000N  
Peso 2,15kgs

**IERO 6.0 Battery powered**

Ø 4,8 mm – 6,4 mm  
Stroke 25mm  
traction Power 20000N  
Weight 2,15kgs



**MAG 64 Pneumatica**

Ø 4,8 mm – 6,4 mm  
Corsa 27mm  
Forza 24000N  
Peso 2,27kgs

**MAG 64 Pneumatic Tool**


Ø 4,8 mm – 6,4 mm  
Stroke 27mm  
Traction Power 24000N  
Weight 2,27kgs



# H-LOCK

INOX A2/INOX A2 TESTA TONDA  
STAINLESS STEEL A2/A2 DOME HEAD


**BR058**



∅	L	GRIP RANGE	CODICE / CODE
4,8	9,0	1,5-3,5	BR0584890
	11,5	3,5-6,0	BR05848115
	14,0	6,0-8,5	BR0584814
	16,5	8,5-11,0	BR05848165
	19,0	11,0-13,5	BR0584819
6,4	10,5	2,8-4,8	BR05864105
	12,5	4,8-6,8	BR05864125
	14,5	6,8-8,8	BR05864145
	16,5	8,8-10,8	BR05864165
	18,5	10,8-12,8	BR05864185
	20,5	12,8-14,8	BR05864205
	22,5	14,8-16,8	BR05864225
7,8	13,0	4,0-7,0	BR05878130
	16,0	7,0-10,0	BR05878160
	19,0	10,0-13,0	BR05878190
	22,0	13,0-16,0	BR05878220

ALLUMINIO/ALLUMINIO TESTA TONDA  
ALUMINIUM/ALUMINIUM DOME HEAD


**BR062**



∅	L	GRIP RANGE	CODICE / CODE
4,8	9,0	1,5-3,5	BR06248090
	11,5	3,5-6,0	BR06248115
	14,0	6,0-8,5	BR06248140
	16,5	8,5-11,0	BR06248165
	19,0	11,0-13,5	BR06248190
6,4	9,0	1,5-3,5	BR06264090
	10,5	2,8-4,8	BR06264105
	12,5	4,8-6,8	BR06264125
	14,5	6,8-8,8	BR06264145
	16,5	8,8-10,8	BR06264165
	18,5	10,8-12,8	BR06264185
	20,5	12,8-14,8	BR06264205

INOX A2/INOX A2 TESTA SVASATA  
STAINLESS STEEL A2/A2 COUNTERSUNK HEAD


**BR064**



∅	L	GRIP RANGE	CODICE / CODE
6,4	13,5	5,8-7,8	BR06464135
	15,5	7,8-9,8	BR06464155
	17,5	9,8-11,8	BR06464175

ALLUMINIO/ALLUMINIO TESTA SVASATA  
ALUMINIUM/ALUMINIUM COUNTERS. HEAD

**BR063**



∅	L	GRIP RANGE	CODICE / CODE
6,4	11,5	3,8-5,8	BR06364115
	13,5	5,8-7,8	BR06364135
	15,5	7,8-9,8	BR06364155
	17,5	9,8-11,8	BR06364175
	19,5	11,8-13,8	BR06364195
	21,5	13,8-15,8	BR06364215
	23,5	15,8-17,8	BR06364235






# TWIN-LOCK



ACCIAIO/ACCIAIO TESTA TONDA  
STEEL/STEEL DOME HEAD

**BR201**




$\phi$	L	GRIP RANGE	CODICE / CODE
6,4	14,2	2,0 - 9,5	BR20164142
	15,8	4,8 - 11,1	BR20164158
	20,6	9,5 - 15,9	BR20164206
	23,7	12,7 - 19,1	BR20164237
	26,9	15,9 - 22,2	BR20164269



ACCIAIO/ACCIAIO TESTA SVASATA  
STEEL/STEEL COUNTERSUNK HEAD

**BR206**




$\phi$	L	GRIP RANGE	CODICE / CODE
6,4	14,2	2,0 - 9,5	BR20164142

# SUPERBULB



ACCIAIO/ACCIAIO TESTA TONDA  
STEEL/STEEL DOME HEAD

**BR200**




$\phi$	L	GRIP RANGE	CODICE / CODE
4,8	10,0	1,5 - 3,5	BR20048100
	13,0	3,5 - 6,0	BR20048130
	15,0	6,0 - 8,0	BR20048150
6,4	13,0	2,0 - 4,5	BR20064130
	17,0	4,5 - 7,0	BR20064170
	20,0	7,0 - 10,5	BR20064200
	23,0	10,5 - 13,0	BR20064230
	25,0	13,0 - 15,5	BR20064250

# FLOORPLY

ACCIAIO/ACCIAIO TESTA TONDA  
STEEL/STEEL DOME HEAD

**BR205**



$\phi$	L	GRIP RANGE	CODICE / CODE
8	54,0	19,0-35,0	BR20580540





**IERO 6.0** Ø 4,8 mm – 6,4 mm

**Alluminio - Acciaio - Inox**

- Corsa: 25mm
- Forza: 20000N
- Batteria: 2.0 Ah / 18V Li-ion
- Peso: 2,15kgs

**Aluminium - Steel - Stainless Steel**

- Stroke: 25mm
- Traction power: 20000N
- Battery: 2.0 Ah / 18V Li-ion
- Weight: 2,15kgs

**TUDIBULB/TUDINOX**



**CUP-LOCK**



**CUP-BOLT**



**H-LOCK**



**TWIN-LOCK**



**IERO T.0** Ø 5,2 mm – 7,8 mm

**Alluminio - Acciaio - Inox**

- Corsa: 25mm
- Forza: 12000N
- Batteria: 2.0 Ah / 18V Li-ion
- Peso: 2,15kgs

**Aluminium - Steel - Stainless Steel**

- Stroke: 25mm
- Traction power: 12000N
- Battery: 2.0 Ah / 18V Li-ion
- Weight: 2,15kgs

**TREBULB PLUS**



**TREBULB**



# RIVETTATRICI PNEUMATICHE PNEUMATIC RIVETING TOOLS



## MAG 64 Ø 4,8 mm – 6,4 mm

**Alluminio - Acciaio - Inox**

- Corsa: 26mm
- Forza: 23000N
- Peso: 1,92kgs

**Aluminium - Steel - Stainless Steel**

- Stroke: 26mm
- Traction power: 23000N
- Weight: 1,92kgs

**TUDIBULB/TUDINOX**



**CUP-LOCK**



**CUP-BOLT**



**H-LOCK**



**TWIN-LOCK**



Per BULLONI A STRAPPO Ø4.8-6.4 e RIVETTI STRUTTURALI Ø4.8-9.8

For PIN & COLLAR Ø4.8-6.4mm AND STRUCTURAL RIVETS Ø4,8-9.8mm



## MAG 70 Ø 4.8 mm – 9.8 mm

**Alluminio - Acciaio - Inox**

- Corsa: 17mm
- Forza: 28.000-39.000N
- Peso: 2,90kgs

**Aluminium - Steel - Stainless Steel**

- Stroke: 17mm
- Traction power: 28.000-39.000N
- Weight: 2.90kgs

**TUDIBULB/TUDINOX**



**CUP-LOCK**



**CUP-BOLT**



**H-LOCK**



**TWIN-LOCK**



**BULL-LOCK**



**SUPERGRIP**



## MAG 100 Ø 6.4 mm – 9.8 mm

**Alluminio - Acciaio - Inox**

- Corsa: 22mm
- Forza: 30.600-42.840N
- Peso: 5,50kgs

**Aluminium - Steel - Stainless Steel**

- Stroke: 22mm
- Traction power: 30.600-42.840N
- Weight: 5,50kgs

**TUDIBULB/TUDINOX**



**CUP-LOCK**



**CUP-BOLT**



**H-LOCK**



**TWIN-LOCK**



**TWIN-LOCK**



**BULL-LOCK**



**SUPERGRIP**



## RIVETTI STRUTTURALI STRUCTURAL RIVETS

Remaches Factory s.r.l.  
via Galilei, 12  
64013 Corropoli (TE) Italy  
tel. +39 0861 17 800 57  
info@remachesfactory.com  
www.remachesfactory.com

