

BULLONI A STRAPPO LOCKBOLTS

- Bull-Lock
- Bull-Lock Extra
- SuperGrip
- Tainer Lock
- Panel Lock



REMACHES **FACTORY**

We make the difference...



B2B eCommerce

Remaches Factory, attraverso la propria piattaforma eCommerce, offre un servizio attivo h24 che permette di:

- verificare la disponibilità dei prodotti
- effettuare ordini di acquisto
- monitorare lo stato dei propri ordini
- consultare i propri documenti
- inviare richieste

Remaches Factory, through its eCommerce platform, offers a 24-hour service that allows you to:

- check product availability
- send orders
- check the status of your orders
- consult your documents
- send requests

www.remachesfactory.com

REMACHES **FACTORY**




BULL-LOCK



BULLONE - ACCIAIO TESTA TONDA PIN - STEEL DOME HEAD


L100



Ø	P	GRIP RANGE	CODICE / CODE
4,8	36,0	1,6 - 4,8	L10048036
	39,0	4,8 - 8,0	L10048038
	42,0	8,0 - 11,1	L10048042
	45,0	11,1 - 14,3	L10048045
	48,0	14,3 - 17,5	L10048048
	51,0	17,5 - 20,7	L10048051
	55,0	20,7 - 23,8	L10048055
	58,0	23,8 - 27,0	L10048058
	61,0	27,0 - 30,2	L10048061
64,0	30,2 - 33,4	L10048064	
6,4	39,0	1,6 - 4,8	L10064039
	42,0	4,8 - 8,0	L10064042
	45,0	8,0 - 11,1	L10064045
	48,0	11,1 - 14,3	L10064048
	51,0	14,3 - 17,5	L10064051
	54,0	17,5 - 20,7	L10064054
	58,0	20,7 - 23,8	L10064058
	61,0	23,8 - 27,0	L10064061
	64,0	27,0 - 30,2	L10064064
67,0	30,2 - 33,4	L10064067	
8,0	48,0	3,2 - 9,5	L10080048
	52,0	6,4 - 12,7	L10080052
	55,0	9,5 - 15,9	L10080055
	58,0	12,7 - 19,1	L10080058
	61,0	15,9 - 22,2	L10080061
	64,0	19,1 - 25,4	L10080064
	67,0	22,2 - 28,6	L10080067
	71,0	25,4 - 31,8	L10080071
74,0	28,6 - 34,9	L10080074	
9,5	54,0	3,2 - 9,5	L10095054
	57,0	6,4 - 12,7	L10095057
	60,0	9,5 - 15,9	L10095060
	63,0	12,7 - 19,1	L10095063
	67,0	15,9 - 22,2	L10095066
	70,0	19,1 - 25,4	L10095069
	73,0	22,2 - 28,6	L10095073
	76,0	25,4 - 31,8	L10095076
	79,0	28,6 - 34,9	L10095079

BULLONE - ACCIAIO TESTA SVASATA PIN - STEEL COUNTERSUNK HEAD

L101



Ø	P	GRIP RANGE	CODICE / CODE
4,8	36,0	1,6 - 4,8	L10148036
	39,0	4,8 - 8,0	L10148039
	42,0	8,0 - 11,1	L10148042
	45,0	11,1 - 14,3	L10148045
	48,0	14,3 - 17,5	L10148048
	51,0	17,5 - 20,7	L10148051
	55,0	20,7 - 23,8	L10148055
	58,0	23,8 - 27,0	L10148058
	61,0	27,0 - 30,2	L10148061
64,0	30,2 - 33,4	L10148064	
6,4	39,0	1,6 - 4,8	L10164039
	42,0	4,8 - 8,0	L10164042
	45,0	8,0 - 11,1	L10164045
	48,0	11,1 - 14,3	L10164048
	51,0	14,3 - 17,5	L10164051
	54,0	17,5 - 20,7	L10164054
	58,0	20,7 - 23,8	L10164058
	61,0	23,8 - 27,0	L10164061
	64,0	27,0 - 30,2	L10164064
67,0	30,2 - 33,4	L10164067	
8,0	48,0	3,2 - 9,5	L10180048
	52,0	6,4 - 12,7	L10180052
	55,0	9,5 - 15,9	L10180055
	58,0	12,7 - 19,1	L10180058
	61,0	15,9 - 22,2	L10180061
9,5	54,0	3,2 - 9,5	L10195054
	57,0	6,4 - 12,7	L10195057
	60,0	9,5 - 15,9	L10195060
	63,0	12,7 - 19,1	L10195063
	67,0	15,9 - 22,2	L10195066

RIVETTATRICE per l'installazione
recommended RIVETING TOOL

IERO 7.0 a Batteria
Ø 4,8 mm – 6,4 mm
Corsa 19mm
Forza 23000N
Peso 2,26kgs

IERO 7.0 Battery powered
Ø 4,8 mm – 6,4 mm
Stroke 19mm
traction Power 23000N
Weight 2,26kgs






BULL-LOCK

BULLONE - INOX A2 TESTA TONDA
PIN - STAINLESS STEEL A2 DOME HEAD


L102



ø	P	GRIP RANGE	CODICE / CODE
4,8	36,0	1,6 - 4,8	L10248036
	39,0	4,8 - 8,0	L10248039
	42,0	8,0 - 11,1	L10248042
	45,0	11,1 - 14,3	L10248045
	48,0	14,3 - 17,5	L10248048
	51,0	17,5 - 20,7	L10248051
	55,0	20,7 - 23,8	L10248055
	58,0	23,8 - 27,0	L10248058
	61,0	27,0 - 30,2	L10248061
64,0	30,2 - 33,4	L10248064	
6,4	39,0	1,6 - 4,8	L10264039
	42,0	4,8 - 8,0	L10264042
	45,0	8,0 - 11,1	L10264045
	48,0	11,1 - 14,3	L10264048
	51,0	14,3 - 17,5	L10264051
	54,0	17,5 - 20,7	L10264054
	58,0	20,7 - 23,8	L10264058
	61,0	23,8 - 27,0	L10264061
	64,0	27,0 - 30,2	L10264064
67,0	30,2 - 33,4	L10264067	
8,0	48,0	3,2 - 9,5	L10280048
	55,0	9,5 - 15,9	L10280055
	61,0	15,9 - 22,2	L10280061
	67,0	22,2 - 28,6	L10280067
	74,0	28,6 - 34,9	L10280074
9,5	54,0	3,2 - 9,5	L10295054
	60,0	9,5 - 15,9	L10295060
	66,0	15,9 - 22,2	L10295066
	73,0	22,2 - 28,6	L10295073
	79,0	28,6 - 34,9	L10295079

BULLONE - INOX A2 TESTA SVASATA
PIN - STAINLESS STEEL A2 COUNTERS. HEAD

L103




ø	P	GRIP RANGE	CODICE / CODE
4,8	36,0	1,6 - 4,8	L10348036
	39,0	4,8 - 8,0	L10348039
	42,0	8,0 - 11,1	L10348042
	45,0	11,1 - 14,3	L10348045
	48,0	14,3 - 17,5	L10348048
	51,0	17,5 - 20,7	L10348051
	55,0	20,7 - 23,8	L10348055
	58,0	23,8 - 27,0	L10348058
	61,0	27,0 - 30,2	L10348061
	64,0	30,2 - 33,4	L10348064
6,4	39,0	1,6 - 4,8	L10364039
	42,0	4,8 - 8,0	L10364042
	45,0	8,0 - 11,1	L10364045
	48,0	11,1 - 14,3	L10364048
	51,0	14,3 - 17,5	L10364051
	54,0	17,5 - 20,7	L10364054
	58,0	20,7 - 23,8	L10364058
	61,0	23,8 - 27,0	L10364061
	64,0	27,0 - 30,2	L10364064
67,0	30,2 - 33,4	L10364067	
8,0	48,0	3,2 - 9,5	L10380048
	55,0	9,5 - 15,9	L10380055
	61,0	15,9 - 22,2	L10380061
	67,0	22,2 - 28,6	L10380067
	74,0	28,6 - 34,9	L10380074
9,5	54,0	3,2 - 9,5	L10395054
	60,0	9,5 - 15,9	L10395060
	66,0	15,9 - 22,2	L10395067
	73,0	22,2 - 28,6	L10395073
	79,0	28,6 - 34,9	L10395079

BULL-LOCK



COLLARE - ACCIAIO TESTA STANDARD
COLLAR - STEEL STANDARD HEAD


C100S



∅	d1	D1	L1	CODICE / CODE
4,8	7,9		6,6	C100S48
6,4	10,4		8,1	C100S64
8,0	12,9		9,6	C100S80
9,5	15,5		11,7	C100S95

COLLARE - INOX A2 TESTA STANDARD
COLLAR - STAINLESS STEEL A2 STANDARD HEAD


C102S



∅	d1	D1	L1	CODICE / CODE
4,8	7,9		6,6	C102S48
6,4	10,4		8,1	C102S64
8,0	12,9		9,6	C102S80
9,5	15,5		11,7	C102S95

COLLARE - ACCIAIO TESTA FLANGIATA
COLLAR - STEEL FLANGED HEAD


C100F



∅	d1	D1	L1	CODICE / CODE
4,8	7,9	10,0	7,1	C100F48
6,4	10,4	13,0	9,6	C100F64
8,0	12,9	16,0	10,8	C100F80
9,5	15,5	20,0	13,5	C100F95

COLLARE - INOX A2 TESTA FLANGIATA
COLLAR - STAIN. STEEL A2 FLANGED HEAD

C102F



∅	d1	D1	L1	CODICE / CODE
4,8	7,9	10,0	7,1	C102F48
6,4	10,4	13,0	9,6	C102F64
8,0	12,9	16,0	10,8	C102F80
9,5	15,5	20,0	13,5	C102F95

BULL-LOCK EXTRA



BULL-LOCK EXTRA

Materiale / Material

- Acciaio / Steel


Diametri disponibili / Available diameter

- 12,7 mm
- 15,9 mm
- 19,1 mm
- 22,2 mm
- 25,4 mm
- 28,6 mm



BULLONE - ACCIAIO TESTA TONDA
PIN - STEEL DOME HEAD


L001



∅	H	GRIP RANGE	CODICE / CODE
4,8	46,0	1,6 - 15,9	L00148046
	61,0	7,9 - 31,8	L00148061
6,4	53,0	3,2 - 15,9	L00164053
	68,0	7,9 - 31,8	L00164068

COLLARE - ACCIAIO TESTA STANDARD
COLLAR - STEEL STANDARD HEAD


C001S



∅	d1	D1	L1	CODICE / CODE
4,8	8,0	10,0	7,2	C001S48
6,4	10,0	13,0	9,7	C001S64


COLLARE - ACCIAIO TESTA FLANGIATA
COLLAR - STEEL FLANGED HEAD

C001F




∅	d1	D1	L1	CODICE / CODE
4,8	8,0	14,0	7,7	C001F48
6,4	10,0	18,0	11,9	C001F64

TAINER LOCK



BULLONE - ACCIAIO TESTA LARGA
PIN - STEEL LARGE HEAD


L200



∅	L	GRIP RANGE	CODICE / CODE
10,0	52,0	12,8 - 15,8	L2001209
	54,0	15,9 - 19	L2001211
	56,0	19,1 - 22,2	L2001213
	60,0	22,2 - 25,4	L2001215
	71,0	25,4 - 28,5	L2001217
	71,0	28,6 - 31,7	L2001219
	71,0	31,7 - 34,9	L2001221
	71,0	34,9 - 38,1	L2001223
	71,0	36,5 - 39,7	L2001224

COLLARE - ACCIAIO TESTA STANDARD
COLLAR - STEEL STANDARD HEAD


C200



∅	d1	D1	L1	CODICE / CODE
10,0		31,5	13,0	C2001200



Confezionamento personalizzato su richiesta
Customized packaging upon request





HERO 7.0

Ø 4,8 mm – 6,4 mm

Alluminio - Acciaio - Inox

- Corsa: 19mm
- Forza: 23000N
- Batteria: 2.0 Ah / 18V Li-ion
- Peso: 2,26Kgs

Aluminium - Steel - Stainless Steel

- Stroke: 19mm
- Traction power: 23000N
- Battery: 2.0 Ah / 18V Li-ion
- Weight: 2,26kgs

BULL-LOCK



SUPERGRIP



B-RIVET



Kit per bulloni a strappo e rivetti strutturali forniti separatamente
Kit for Lock bolts and structural rivets are supplied separately





MAG 70 Ø 4,8 mm – 9.8 mm

Alluminio - Acciaio - Inox

- Corsa: 17mm
- Forza: 28.000-39.000N
- Peso: 2,90kgs

Aluminium - Steel - Stainless Steel

- Stroke: 17mm
- Traction power: 28.000-39.000N
- Weight: 2.90kgs

TUDIBULB/TUDINOX



CUP-LOCK



CUP-BOLT



H-LOCK



TWIN-LOCK



BULL-LOCK



SUPERGRIP



MAG 100 Ø 6.4 mm – 9.8 mm

Alluminio - Acciaio - Inox

- Corsa: 22mm
- Forza: 30.600-42.840N
- Peso: 5,50kgs

Aluminium - Steel - Stainless Steel

- Stroke: 22mm
- Traction power: 30.600-42.840N
- Weight: 5,50kgs



TUDIBULB/TUDINOX



CUP-LOCK



CUP-BOLT



H-LOCK



TWIN-LOCK



TWIN-LOCK



BULL-LOCK



SUPERGRIP



Servizio di consegna standard ed espresso
Standard and express delivery service



BULLONI A STRAPPO LOCKBOLTS

Remaches Factory s.r.l.
via Galilei, 12
64013 Corropoli (TE) Italy
tel. +39 0861 17 800 57
info@remachesfactory.com
www.remachesfactory.com

